

## § 610.1

## 21 CFR Ch. I (4–1–14 Edition)

### Subpart B—General Provisions

- 610.9 Equivalent methods and processes.
- 610.10 Potency.
- 610.11 General safety.
- 610.11a Inactivated influenza vaccine, general safety test.
- 610.12 Sterility.
- 610.13 Purity.
- 610.14 Identity.
- 610.15 Constituent materials.
- 610.16 Total solids in serums.
- 610.17 Permissible combinations.
- 610.18 Cultures.

### Subpart C—Standard Preparations and Limits of Potency

- 610.20 Standard preparations.
- 610.21 Limits of potency.

### Subpart D—Mycoplasma

- 610.30 Test for *Mycoplasma*.

### Subpart E—Testing Requirements for Communicable Disease Agents

- 610.40 Test requirements.
- 610.41 Donor deferral.
- 610.42 Restrictions on use for further manufacture of medical devices.
- 610.44 Use of reference panels by manufacturers of test kits.
- 610.46 Human immunodeficiency virus (HIV) “lookback” requirements.
- 610.47 Hepatitis C virus (HCV) “lookback” requirements.
- 610.48 Hepatitis C virus (HCV) “lookback” requirements based on review of historical testing records.

### Subpart F—Dating Period Limitations

- 610.50 Date of manufacture.
- 610.53 Dating periods for licensed biological products.

### Subpart G—Labeling Standards

- 610.60 Container label.
- 610.61 Package label.
- 610.62 Proper name; package label; legible type.
- 610.63 Divided manufacturing responsibility to be shown.
- 610.64 Name and address of distributor.
- 610.65 Products for export.
- 610.67 Bar code label requirements.
- 610.68 Exceptions or alternatives to labeling requirements for biological products held by the Strategic National Stockpile.

AUTHORITY: 21 U.S.C. 321, 331, 351, 352, 353, 355, 360, 360c, 360d, 360h, 360i, 371, 372, 374, 381; 42 U.S.C. 216, 262, 263, 263a, 264.

SOURCE: 38 FR 32056, Nov. 20, 1973, unless otherwise noted.

CROSS REFERENCES: For U.S. Customs Service regulations relating to viruses, serums, and toxins, see 19 CFR 12.21–12.23. For U.S. Postal Service regulations relating to the admissibility to the United States mails see parts 124 and 125 of the Domestic Mail Manual, that is incorporated by reference in 39 CFR part 111.

### Subpart A—Release Requirements

#### § 610.1 Tests prior to release required for each lot.

No lot of any licensed product shall be released by the manufacturer prior to the completion of tests for conformity with standards applicable to such product. Each applicable test shall be made on each lot after completion of all processes of manufacture which may affect compliance with the standard to which the test applies. The results of all tests performed shall be considered in determining whether or not the test results meet the test objective, except that a test result may be disregarded when it is established that the test is invalid due to causes unrelated to the product.

#### § 610.2 Requests for samples and protocols; official release.

(a) *Licensed biological products regulated by CBER.* Samples of any lot of any licensed product together with the protocols showing results of applicable tests, may at any time be required to be sent to the Director, Center for Biologics Evaluation and Research (see mailing addresses in § 600.2 of this chapter). Upon notification by the Director, Center for Biologics Evaluation and Research, a manufacturer shall not distribute a lot of a product until the lot is released by the Director, Center for Biologics Evaluation and Research: *Provided*, That the Director, Center for Biologics Evaluation and Research, shall not issue such notification except when deemed necessary for the safety, purity, or potency of the product.

(b) *Licensed biological products regulated by CDER.* Samples of any lot of any licensed product together with the protocols showing results of applicable tests, may at any time be required to be sent to the Director, Center for Drug Evaluation and Research (see mailing addresses in § 600.2) for official

release. Upon notification by the Director, Center for Drug Evaluation and Research, a manufacturer shall not distribute a lot of a biological product until the lot is released by the Director, Center for Drug Evaluation and Research: *Provided*, That the Director, Center for Drug Evaluation and Research shall not issue such notification except when deemed necessary for the safety, purity, or potency of the product.

[40 FR 31313, July 25, 1975, as amended at 49 FR 23834, June 8, 1984; 50 FR 10941, Mar. 19, 1985; 55 FR 11013 and 11014, Mar. 26, 1990; 67 FR 9587, Mar. 4, 2002; 70 FR 14984, Mar. 24, 2005]

## Subpart B—General Provisions

### § 610.9 Equivalent methods and processes.

Modification of any particular test method or manufacturing process or the conditions under which it is conducted as required in this part or in the additional standards for specific biological products in parts 620 through 680 of this chapter shall be permitted only under the following conditions:

(a) The applicant presents evidence, in the form of a license application, or a supplement to the application submitted in accordance with § 601.12(b) or (c), demonstrating that the modification will provide assurances of the safety, purity, potency, and effectiveness of the biological product equal to or greater than the assurances provided by the method or process specified in the general standards or additional standards for the biological product; and

(b) Approval of the modification is received in writing from the Director, Center for Biologics Evaluation and Research or the Director, Center for Drug Evaluation and Research.

[62 FR 39903, July 24, 1997, as amended at 70 FR 14984, Mar. 24, 2005]

### § 610.10 Potency.

Tests for potency shall consist of either in vitro or in vivo tests, or both, which have been specifically designed for each product so as to indicate its potency in a manner adequate to satisfy the interpretation of potency given

by the definition in § 600.3(s) of this chapter.

### § 610.11 General safety.

A general safety test for the detection of extraneous toxic contaminants shall be performed on biological products intended for administration to humans. The general safety test is required in addition to other specific tests prescribed in the additional standards for individual products in this subchapter, except that, the test need not be performed on those products listed in paragraph (g) of this section. The general safety test shall be performed as specified in this section, unless: Modification is prescribed in the additional standards for specific products, or variation is approved as a supplement to the product license under § 610.9.

(a) *Product to be tested.* The general safety test shall be conducted upon a representative sample of the product in the final container from every final filling of each lot of the product. If any product is processed further after filling, such as by freeze-drying, sterilization, or heat treatment, the test shall be conducted upon a sample from each filling of each drying chamber run, sterilization chamber, or heat treatment bath.

(b) *Test animals.* Only overtly healthy guinea pigs weighing less than 400 grams each and mice weighing less than 22 grams each shall be used. The animals shall not have been used previously for any test purpose.

(c) *Procedure.* The duration of the general safety test shall be 7 days for both species, except that a longer period may be established for specific products in accordance with § 610.9. Once the manufacturer has established a specific duration of the test period for a specific product, it cannot be varied subsequently, except, in accordance with § 610.9. Each test animal shall be weighed and the individual weights recorded immediately prior to injection and on the last day of the test. Each animal shall be observed every working day. Any animal response including any which is not specific for or expected from the product and which may indicate a difference in its quality